


| EXPRESS MAIL CERTIFICATION | | | |
|--|---|-------------------|-----------------|
| I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail in an Express Mail envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231. | | | |
| Typed or Printed Name | Steven F. Goldstein | EL 923 483 399 US | |
| Signature |  | Date | January 4, 2002 |

| | | |
|---|----------------------------------|---|
| PRELIMINARY AMENDMENT Address to: Box Patent Application Assistant Commissioner for Patents Washington, D.C. 20231 | Attorney Docket Confirmation No. | 06514089div N/A |
| | First Named Inventor | Glenn K. Fu et al. |
| | Application Number | Unassigned |
| | Filing Date | Herewith |
| | Group Art Unit | 1655 |
| | Examiner Name | E. Whisenant |
| | Title | Construction of Uni-Directionally Cloned cDNA Libraries From Messenger RNA for Improved 3' end DNA Sequencing |

Sir:

Prior to examination of the application on the merits, please enter the following amendments:

AMENDMENTS

IN THE SPECIFICATION

Please insert the following paragraph after the title and before the paragraph entitled Field of Invention.

--Cross-Reference to Related Applications

This application is a divisional of prior U.S. patent application serial no. 09/549,770, filed April 14, 2000, now pending. --

IN THE CLAIMS

Please cancel claims 11-17 without prejudice. Please replace claims 1-10 with claims 1-10 below. No claims are amended.

1. A method for obtaining a DNA complementary to a mRNA, the method comprising:
 contacting the mRNA having a polyadenosine (polyA) tail with a primer mixture, the mixture comprising a plurality of primers wherein each primer comprises at least 5 contiguous

deoxythymidines and at least 2 independently selected non-deoxythymidine nucleotides near one end; and

reverse transcribing the mRNA using a reverse transcriptase to produce a DNA strand complementary to the mRNA.

2. The method of claim 1, wherein each primer further comprises a restriction enzyme sequence near the end opposite to the one containing the non-deoxythymidine nucleotides.

3. The method of claim 2, wherein the restriction enzyme sequence is double stranded.

4. The method of claim 1, wherein each primer comprises at least 10 contiguous deoxythymidines.

5. The method of claim 1, wherein each primer comprises at least 15 contiguous deoxythymidines.

6. The method of claim 1, wherein each primer comprises 2, 3, 4, or 5 non-deoxythymidine nucleotides at one end.

7. The method of claim 6, wherein the non-deoxythymidine nucleotides is selected from the group consisting of 3'-VV, 3'-VTV, 3'-VTVV, 3'-VTVVV, 3'-VTVVTV, 3'-VTTV, 3'-VTTTV, 3'-VTTTVV, and 3'-VVVVV and combinations thereof, wherein V is deoxyadenosine, deoxycytidine, or deoxyguanosine.

8. The method of claim 1, wherein the mixture comprises about 10-25 % of a primer having a 3'-VV, about 0.5-10 % of a primer having a 3'-VTV, about 0.1-5 % of a primer having a 3'-VTTV, about 0.001-0.5% of a primer having a 3'-VTTTV, and upto about 95 % of a primer having a 3'-VVVVV, wherein V is deoxyadenosine, deoxycytidine, or deoxyguanosine.

9. The method of claim 8, wherein the mixture comprises about 15-20 % of a primer having a 3'-VV, about 3-6 % of a primer having a 3'-VTV, about 0.5-3 % of a primer having a 3'-VTTV, about 0.005-0.05% of a primer having a 3'-VTTTV, and about 60-80 % of a primer having a 3'-

VVVVV, wherein V is deoxyadenosine, deoxycytidine, or deoxyguanosine.

10. A method for obtaining a DNA complementary to a mRNA, the method comprising:

contacting the mRNA having a polyA tail with a primer mixture comprising a plurality of primers wherein each primer comprises at least 10 contiguous deoxythymidines and a non-polyA-complementary region near one end, wherein the non-polyA-complementary region is selected from the group consisting of 3'-VV, 3'-VTV, 3'-VTVV, 3'-VTVVV, 3'-VTVVTV, 3'-VTTV, 3'-VTTTV, 3'-VVTVVV, and 3'-VVVVV, and combinations thereof, wherein V is deoxyadenosine, deoxycytidine, or deoxyguanosine; and

reverse transcribing the mRNA using a reverse transcriptase to produce a DNA strand complementary to the mRNA.

REMARKS UNDER 37 CFR § 1.111

Formal Matters

Claims 1-10 are pending after entry of the amendments set forth herein.

Claims 11-17 are canceled without prejudice to renewal.

Please replace claims 1-10 with the clean version provided above.

The specification is amended to claim the benefit of prior U.S. patent application serial no. 09/549,770, filed April 14, 2000, now pending.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached is captioned "**VERSION WITH MARKINGS TO SHOW CHANGES MADE.**"

Applicants respectfully request reconsideration of the application in view of the amendments and remarks made herein.


No new matter has been added.

Conclusion

The Commissioner is hereby authorized to charge any underpayment of fees associated with this communication, including any necessary fees for extensions of time, or credit any overpayment to Deposit Account No. 50-0815, order number 065414089DIV.

Respectfully submitted,
BOZICEVIC, FIELD & FRANCIS LLP

Date: January 4, 2002

By: 
Carol L. Francis
Registration No. 36,513

BOZICEVIC, FIELD & FRANCIS LLP
200 Middlefield Road, Suite 200
Menlo Park, CA 94025
Telephone: (650) 327-3400
Facsimile: (650) 327-3231

VERSION WITH MARKINGS TO SHOW CHANGES MADE

Cancel claims 11-17.

2010-06-07